

Entry Door









SINGLE - INSWING

ELEVATIONS
SCALE: 1/8" = 1'-0"









Mas. Opp. - With BM
Unit Dimension
Rough Opp.
Frame

3-0 3/4	3-4 3/4	4-5 3/4	4-5 3/4	4-7 3/4	4-7 3/4	5-6 3/4	5-10 3/4
3-0	3-4	4-5	4-5	4-7	4-7	5-6	5-10
2-10 1/4	3-2 1/4	4-3 1/4	4-3 1/4	4-5 1/4	4-5 1/4	5-4 1/4	5-8 1/4
2-9 1/2	3-1 1/2	4-2 1/2	4-2 1/2	4-4 1/2	4-4 1/2	5-3 1/2	5-7 1/2

6-11 9/16
6-11 1/16
6-10 5/16
6-9 13/16

							
*2-8 x 6-8	3-0 x 6-8	3-0 x 6-8 12" SIDELITE	3-0 x 6-8 12" SIDELITE	3-0 x 6-8 14" SIDELITE	3-0 x 6-8 14" SIDELITE	3-0 x 6-8 12" SIDELITES	3-0 x 6-8 14" SIDELITES

8-3 9/16
8-3 1/16
8-2 5/16
8-1 13/16

							
*2-8 x 8-0	3-0 x 8-0	3-0 x 8-0 12" SIDELITE	3-0 x 8-0 12" SIDELITE	3-0 x 8-0 14" SIDELITE	3-0 x 8-0 14" SIDELITE	3-0 x 8-0 12" SIDELITES	3-0 x 8-0 14" SIDELITES

NOTES:
ALL ARE BASED ON HYBRID SIZING
SUBTRACT 13/16" FOR DOORS WITH HANDICAP SILLS
ELEVATIONS MAY DIFFER DUE TO PRODUCT TYPE AND & STYLE

* 2-8 WIDTH
FIRE RATED ONLY

Entry Door


FRENCH, DOUBLE, AND TRIPLE - INSWING

ELEVATIONS
SCALE: 1/8" = 1'-0"


Mas. Opq. - With BM
Unit Dimension
Rough Opq.
Frame

6-5 7/16	6-5 3/4	9-6 3/4
6-4 11/16	6-5	9-6
6-2 15/16	6-3 1/4	9-4 1/4
6-2 3/16	6-2 1/2	9-3 1/2


6-11 9/16
6-11 1/16
6-10 5/16
6-9 13/16



6-0 x 6-8
FRENCH




6-0 x 6-8
DOUBLE




9-0 x 6-8
TRIPLE


8-3 9/16
8-3 1/16
8-2 5/16
8-1 13/16



6-0 x 8-0
FRENCH



6-0 x 8-0
DOUBLE



9-0 x 8-0
TRIPLE





NOTES:
ALL ARE BASED ON HYBRID SIZING
SUBTRACT 13/16" FOR DOORS WITH HANDICAP SILLS
ELEVATIONS MAY DIFFER DUE TO PRODUCT TYPE AND & STYLE

Entry Door

INSWING SIDELITES

ELEVATIONS

SCALE: 1/8" = 1'-0"

Mas. Opp. - With BM Unit Dimension Rough Opp. Frame	1-4 3/4	1-6 3/4
	1-4	1-6
	1-2 1/4	1-4 1/4
	1-1 1/2	1-3 1/2
6-11 9/16		
6-11 1/16		
6-10 5/16		
6-9 13/16		
	12"	14"
8-3 9/16		
8-3 1/16		
8-2 5/16		
8-1 13/16		
	12"	14"

NOTES:
 ALL ARE BASED ON HYBRID SIZING
 SUBTRACT 13/16" FOR DOORS WITH HANDICAP SILLS
 ELEVATIONS MAY DIFFER DUE TO PRODUCT TYPE AND & STYLE