

SECTION DETAILS: OPERATING




**HEAD JAMB & SILL** 




**JAMBS** 


SECTION DETAILS: OPERATING (4 9/16" JAMB)





**HEAD JAMB & SILL** 



SECTION DETAILS: MULLIONS








VERTICAL MULLION OPERATOR/OPERATOR

SECTION DETAILS: DIVIDED LITE OPTIONS


















SECTION DETAILS: FLUSH FIN OPTIONS









SECTION DETAILS : CONSTRUCTION




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING




HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

SECTION DETAILS : CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS 2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER




JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER


NOTE:

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


SECTION DETAILS: CONSTRUCTION (FLANGE OPTION)




HEAD JAMB & SILL BLOCK WALL WITH 1 X 4 1/2" FLANGE OPTION



JAMBS BLOCK WALL WITH 1 X 4 1/2" FLANGE OPTION



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO 1" OR 2" FLANGE OPTION



JAMBS 2 X 4 FRAME WITH STUCCO 1" OR 2" FLANGE OPTION