

SECTION DETAILS SCALE: 3" = 1'-0"




HEAD JAMB & SILL



JAMBS

SECTION DETAILS (4 9/16" JAMB)



FRAME SIZE


1 5/16"
1 1/16"
2 1/16"

DAYLIGHT OPENING


JAMBS

Next Dimension Series SLIDER - TRIPLE

SECTION DETAILS SCALE: 3" = 1'-0"




HEAD JAMB & SILL




JAMBS

Next Dimension Series SLIDER - TRIPLE

SECTION DETAILS (4 9/16" JAMB)




HEAD JAMB & SILL




JAMBS

Next Dimension Series IMPACT SLIDER - MULLIONS

SECTION DETAILS SCALE: 3" = 1'-0"




HORIZONTAL MULLION FIXED/OPERATOR




VERTICAL MULLION OPERATOR/FIXED


SECTION DETAILS: DIVIDED LITE OPTIONS




INSULATING GLASS




3/4" PROFILED INNERGRILLE



5/8" GRILLE BAR WITH INNERBAR



5/8" GRILLE BAR (EXTERIOR ONLY) WITH 5/8" FLAT INNERGRILLE




7/8" GRILLE BAR WITH INNERBAR



7/8" GRILLE BAR (EXTERIOR ONLY) WITH 13/16" FLAT INNERGRILLE





TRIPLE IG INSULATING GLASS




TRIPLE IG 3/4" PROFILED INNERGRILLE


SECTION DETAILS: FLUSH FIN OPTIONS









SECTION DETAILS: JAMB COVER FOR LAMINATED EXTERIOR




HEAD JAMB & SILL




SECTION DETAILS: CONSTRUCTION




HEAD JAMB & SILL 2 X 6 FRAME WITH SIDING



JAMBS 2 X 6 FRAME WITH SIDING




HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO




JAMBS 2 X 4 FRAME WITH STUCCO

SECTION DETAILS: CONSTRUCTION


SCALE: 2" = 1'-0"




HEAD JAMB & SILL 2 X 4 FRAME WITH BRICK VENEER



JAMBS
2 X 4 FRAME WITH BRICK VENEER



HEAD JAMB & SILL 8" CONCRETE BLOCK WALL WITH BRICK VENEER




JAMBS 8" CONCRETE BLOCK WALL WITH BRICK VENEER


NOTE:

THE ABOVE WALL SECTIONS REPRESENT TYPICAL WALL CONDITIONS, THESE DETAILS ARE NOT INTENDED AS INSTALLATIONS INSTRUCTIONS. PLEASE REFER TO THE INSTALLATION INSTRUCTIONS PROVIDED WITH THE PURCHASED UNITS.


SECTION DETAILS: CONSTRUCTION (FLANGE OPTION)




HEAD JAMB & SILL BLOCK WALL WITH 1 X 4 1/2" FLANGE OPTION



JAMBS BLOCK WALL WITH 1 X 4 1/2" FLANGE OPTION



HEAD JAMB & SILL 2 X 4 FRAME WITH STUCCO 1" OR 2" FLANGE OPTION



JAMBS 2 X 4 FRAME WITH STUCCO 1" OR 2" FLANGE OPTION