

# Next Dimension Series

## SINGLE HUNG

### EGRESS, LITE & SCREEN MEASUREMENTS


| Egress, Lite and Vent Measurements |              |               |                |                         |         |        |                 |             |        |  |
|------------------------------------|--------------|---------------|----------------|-------------------------|---------|--------|-----------------|-------------|--------|--|
| Single Hung                        |              |               |                |                         |         |        |                 |             |        |  |
| Size                               | Egress Width | Egress Height | Sq. Ft. Egress | Egress Code Compliance* |         |        | Sq. Ft. Daylite | Screen Size |        |  |
|                                    |              |               |                | U.S.                    |         | Canada |                 | Width       | Height |  |
|                                    |              |               |                | 5.0 ft²                 | 5.7 ft² |        |                 |             |        |  |
| 1830                               | 13.032       | 10.134        | 0.92           | -                       | -       | -      | 1.91            | 14.472      | 13.421 |  |
| 1836                               | 13.032       | 13.134        | 1.19           | -                       | -       | -      | 2.41            | 14.472      | 16.421 |  |
| 1842                               | 13.032       | 16.134        | 1.46           | -                       | -       | -      | 2.91            | 14.472      | 19.421 |  |
| 1848                               | 13.032       | 19.134        | 1.73           | -                       | -       | -      | 3.41            | 14.472      | 22.421 |  |
| 1854                               | 13.032       | 22.134        | 2.00           | -                       | -       | -      | 3.91            | 14.472      | 25.421 |  |
| 1860                               | 13.032       | 25.134        | 2.27           | -                       | -       | -      | 4.41            | 14.472      | 28.421 |  |
| 1863                               | 13.032       | 26.634        | 2.41           | -                       | -       | -      | 4.66            | 14.472      | 29.421 |  |
| 1866                               | 13.032       | 28.134        | 2.55           | -                       | -       | -      | 4.92            | 14.472      | 31.421 |  |
| 1872                               | 13.032       | 31.134        | 2.82           | -                       | -       | -      | 5.42            | 14.472      | 34.421 |  |
| 1878                               | 13.032       | 34.134        | 3.09           | -                       | -       | -      | 5.92            | 14.472      | 37.421 |  |
| 1884                               | 13.032       | 37.134        | 3.36           | -                       | -       | -      | 6.42            | 14.472      | 40.421 |  |
| 2430                               | 19.032       | 10.134        | 1.34           | -                       | -       | -      | 2.86            | 20.472      | 13.421 |  |
| 2436                               | 19.032       | 13.134        | 1.74           | -                       | -       | -      | 3.61            | 20.472      | 16.421 |  |
| 2442                               | 19.032       | 16.134        | 2.13           | -                       | -       | -      | 4.36            | 20.472      | 19.421 |  |
| 2448                               | 19.032       | 19.134        | 2.53           | -                       | -       | -      | 5.11            | 20.472      | 22.421 |  |
| 2454                               | 19.032       | 22.134        | 2.93           | -                       | -       | -      | 5.86            | 20.472      | 25.421 |  |
| 2460                               | 19.032       | 25.134        | 3.32           | -                       | -       | -      | 6.61            | 20.472      | 28.421 |  |
| 2463                               | 19.032       | 26.634        | 3.52           | -                       | -       | -      | 6.99            | 20.472      | 29.421 |  |
| 2466                               | 19.032       | 28.134        | 3.72           | -                       | -       | -      | 7.37            | 20.472      | 31.421 |  |
| 2472                               | 19.032       | 31.134        | 4.11           | -                       | -       | Y      | 8.12            | 20.472      | 34.421 |  |
| 2478                               | 19.032       | 34.134        | 4.51           | -                       | -       | Y      | 8.87            | 20.472      | 37.421 |  |
| 2484                               | 19.032       | 37.134        | 4.91           | -                       | -       | Y      | 9.62            | 20.472      | 40.421 |  |
| 3030                               | 25.032       | 10.134        | 1.76           | -                       | -       | -      | 3.81            | 26.472      | 13.421 |  |
| 3036                               | 25.032       | 13.134        | 2.28           | -                       | -       | -      | 4.81            | 26.472      | 16.421 |  |
| 3042                               | 25.032       | 16.134        | 2.80           | -                       | -       | -      | 5.81            | 26.472      | 19.421 |  |
| 3048                               | 25.032       | 19.134        | 3.33           | -                       | -       | -      | 6.81            | 26.472      | 22.421 |  |
| 3054                               | 25.032       | 22.134        | 3.85           | -                       | -       | Y      | 7.81            | 26.472      | 25.421 |  |
| 3060                               | 25.032       | 25.134        | 4.37           | -                       | -       | Y      | 8.82            | 26.472      | 28.421 |  |
| 3063                               | 25.032       | 26.634        | 4.63           | -                       | -       | Y      | 9.32            | 26.472      | 29.421 |  |
| 3066                               | 25.032       | 28.134        | 4.89           | -                       | -       | Y      | 9.82            | 26.472      | 31.421 |  |
| 3072                               | 25.032       | 31.134        | 5.41           | Y                       | -       | Y      | 10.82           | 26.472      | 34.421 |  |
| 3078                               | 25.032       | 34.134        | 5.93           | Y                       | Y       | Y      | 11.82           | 26.472      | 37.421 |  |
| 3084                               | 25.032       | 37.134        | 6.46           | Y                       | Y       | Y      | 12.82           | 26.472      | 40.421 |  |
| 3230                               | 27.032       | 10.134        | 1.90           | -                       | -       | -      | 4.13            | 28.472      | 13.421 |  |
| 3236                               | 27.032       | 13.134        | 2.47           | -                       | -       | -      | 5.21            | 28.472      | 16.421 |  |
| 3242                               | 27.032       | 16.134        | 3.03           | -                       | -       | -      | 6.30            | 28.472      | 19.421 |  |
| 3248                               | 27.032       | 19.134        | 3.59           | -                       | -       | -      | 7.38            | 28.472      | 22.421 |  |
| 3254                               | 27.032       | 22.134        | 4.16           | -                       | -       | Y      | 8.47            | 28.472      | 25.421 |  |
| 3260                               | 27.032       | 25.134        | 4.72           | -                       | -       | Y      | 9.55            | 28.472      | 28.421 |  |
| 3263                               | 27.032       | 26.634        | 5.00           | Y                       | -       | Y      | 10.09           | 28.472      | 29.421 |  |
| 3266                               | 27.032       | 28.134        | 5.28           | Y                       | -       | Y      | 10.63           | 28.472      | 31.421 |  |
| 3272                               | 27.032       | 31.134        | 5.84           | Y                       | Y       | Y      | 11.72           | 28.472      | 34.421 |  |
| 3278                               | 27.032       | 34.134        | 6.41           | Y                       | Y       | Y      | 12.80           | 28.472      | 37.421 |  |
| 3284                               | 27.032       | 37.134        | 6.97           | Y                       | Y       | Y      | 13.89           | 28.472      | 40.421 |  |
| 3630                               | 31.032       | 10.134        | 2.18           | -                       | -       | -      | 4.76            | 32.472      | 13.421 |  |
| 3636                               | 31.032       | 13.134        | 2.83           | -                       | -       | -      | 6.01            | 32.472      | 16.421 |  |
| 3642                               | 31.032       | 16.134        | 3.48           | -                       | -       | -      | 7.26            | 32.472      | 19.421 |  |
| 3648                               | 31.032       | 19.134        | 4.12           | -                       | -       | Y      | 8.51            | 32.472      | 22.421 |  |
| 3654                               | 31.032       | 22.134        | 4.77           | -                       | -       | Y      | 9.77            | 32.472      | 25.421 |  |
| 3660                               | 31.032       | 25.134        | 5.42           | Y                       | -       | Y      | 11.02           | 32.472      | 28.421 |  |
| 3663                               | 31.032       | 26.634        | 5.74           | Y                       | Y       | Y      | 11.64           | 32.472      | 29.421 |  |
| 3666                               | 31.032       | 28.134        | 6.06           | Y                       | Y       | Y      | 12.27           | 32.472      | 31.421 |  |
| 3672                               | 31.032       | 31.134        | 6.71           | Y                       | Y       | Y      | 13.52           | 32.472      | 34.421 |  |
| 3678                               | 31.032       | 34.134        | 7.36           | Y                       | Y       | Y      | 14.77           | 32.472      | 37.421 |  |
| 3684                               | 31.032       | 37.134        | 8.00           | Y                       | Y       | Y      | 16.02           | 32.472      | 40.421 |  |

| Egress Conversions |                   |
|--------------------|-------------------|
| Width              | R.O. - 4.968"     |
| Height             | R.O. / 2 - 4.866" |

#### \* Egress Code Compliance Terminology

- Y Meets Code
- Does Not Meet Code

| Egress, Lite and Vent Measurements |              |               |                |                         |         |        |                 |             |        |  |
|------------------------------------|--------------|---------------|----------------|-------------------------|---------|--------|-----------------|-------------|--------|--|
| Single Hung                        |              |               |                |                         |         |        |                 |             |        |  |
| Size                               | Egress Width | Egress Height | Sq. Ft. Egress | Egress Code Compliance* |         |        | Sq. Ft. Daylite | Screen Size |        |  |
|                                    |              |               |                | U.S.                    |         | Canada |                 | Width       | Height |  |
|                                    |              |               |                | 5.0 ft²                 | 5.7 ft² |        |                 |             |        |  |
| 4030                               | 35.032       | 10.134        | 2.47           | -                       | -       | -      | 5.39            | 36.472      | 13.421 |  |
| 4036                               | 35.032       | 13.134        | 3.20           | -                       | -       | -      | 6.81            | 36.472      | 16.421 |  |
| 4042                               | 35.032       | 16.134        | 3.93           | -                       | -       | Y      | 8.23            | 36.472      | 19.421 |  |
| 4048                               | 35.032       | 19.134        | 4.65           | -                       | -       | Y      | 9.65            | 36.472      | 22.421 |  |
| 4054                               | 35.032       | 22.134        | 5.38           | -                       | -       | Y      | 11.07           | 36.472      | 25.421 |  |
| 4060                               | 35.032       | 25.134        | 6.11           | Y                       | Y       | Y      | 12.48           | 36.472      | 28.421 |  |
| 4063                               | 35.032       | 26.634        | 6.48           | Y                       | Y       | Y      | 13.19           | 36.472      | 29.421 |  |
| 4066                               | 35.032       | 28.134        | 6.84           | Y                       | Y       | Y      | 13.90           | 36.472      | 31.421 |  |
| 4072                               | 35.032       | 31.134        | 7.57           | Y                       | Y       | Y      | 15.32           | 36.472      | 34.421 |  |
| 4078                               | 35.032       | 34.134        | 8.30           | Y                       | Y       | Y      | 16.74           | 36.472      | 37.421 |  |
| 4084                               | 35.032       | 37.134        | 9.03           | Y                       | Y       | Y      | 18.16           | 36.472      | 40.421 |  |
| 4230                               | 37.032       | 10.134        | 2.61           | -                       | -       | -      | 5.71            | 38.472      | 13.421 |  |
| 4236                               | 37.032       | 13.134        | 3.38           | -                       | -       | -      | 7.21            | 38.472      | 16.421 |  |
| 4242                               | 37.032       | 16.134        | 4.15           | -                       | -       | Y      | 8.71            | 38.472      | 19.421 |  |
| 4248                               | 37.032       | 19.134        | 4.92           | -                       | -       | Y      | 10.22           | 38.472      | 22.421 |  |
| 4254                               | 37.032       | 22.134        | 5.69           | -                       | -       | Y      | 11.72           | 38.472      | 25.421 |  |
| 4260                               | 37.032       | 25.134        | 6.46           | Y                       | Y       | Y      | 13.22           | 38.472      | 28.421 |  |
| 4263                               | 37.032       | 26.634        | 6.85           | Y                       | Y       | Y      | 13.97           | 38.472      | 29.421 |  |
| 4266                               | 37.032       | 28.134        | 7.24           | Y                       | Y       | Y      | 14.72           | 38.472      | 31.421 |  |
| 4272                               | 37.032       | 31.134        | 8.01           | Y                       | Y       | Y      | 16.22           | 38.472      | 34.421 |  |
| 4278                               | 37.032       | 34.134        | 8.78           | Y                       | Y       | Y      | 17.72           | 38.472      | 37.421 |  |
| 4284                               | 37.032       | 37.134        | 9.55           | Y                       | Y       | Y      | 19.22           | 38.472      | 40.421 |  |
| 4830                               | 43.032       | 10.134        | 3.03           | -                       | -       | -      | 6.66            | 44.472      | 13.421 |  |
| 4836                               | 43.032       | 13.134        | 3.92           | -                       | -       | -      | 8.41            | 44.472      | 16.421 |  |
| 4842                               | 43.032       | 16.134        | 4.82           | -                       | -       | Y      | 10.17           | 44.472      | 19.421 |  |
| 4848                               | 43.032       | 19.134        | 5.72           | -                       | -       | Y      | 11.92           | 44.472      | 22.421 |  |
| 4854                               | 43.032       | 22.134        | 6.61           | -                       | -       | Y      | 13.67           | 44.472      | 25.421 |  |
| 4860                               | 43.032       | 25.134        | 7.51           | Y                       | Y       | Y      | 15.42           | 44.472      | 28.421 |  |
| 4863                               | 43.032       | 26.634        | 7.96           | Y                       | Y       | Y      | 16.29           | 44.472      | 29.421 |  |
| 4866                               | 43.032       | 28.134        | 8.41           | Y                       | Y       | Y      | 17.17           | 44.472      | 31.421 |  |
| 4872                               | 43.032       | 31.134        | 9.30           | Y                       | Y       | Y      | 18.92           | 44.472      | 34.421 |  |
| 4878                               | 43.032       | 34.134        | 10.20          | Y                       | Y       | Y      | 20.67           | 44.472      | 37.421 |  |
| 4884                               | 43.032       | 37.134        | 11.10          | Y                       | Y       | Y      | 22.42           | 44.472      | 40.421 |  |
| 5430                               | 49.032       | 10.134        | 3.45           | -                       | -       | -      | 7.61            | 50.472      | 13.421 |  |
| 5436                               | 49.032       | 13.134        | 4.47           | -                       | -       | -      | 9.62            | 50.472      | 16.421 |  |
| 5442                               | 49.032       | 16.134        | 5.49           | -                       | -       | Y      | 11.62           | 50.472      | 19.421 |  |
| 5448                               | 49.032       | 19.134        | 6.52           | -                       | -       | Y      | 13.62           | 50.472      | 22.421 |  |
| 5454                               | 49.032       | 22.134        | 7.54           | -                       | -       | Y      | 15.62           | 50.472      | 25.421 |  |
| 5460                               | 49.032       | 25.134        | 8.56           | Y                       | Y       | Y      | 17.62           | 50.472      | 28.421 |  |
| 5463                               | 49.032       | 26.634        | 9.07           | Y                       | Y       | Y      | 18.62           | 50.472      | 29.421 |  |
| 5466                               | 49.032       | 28.134        | 9.58           | Y                       | Y       | Y      | 19.62           | 50.472      | 31.421 |  |
| 5472                               | 49.032       | 31.134        | 10.60          | Y                       | Y       | Y      | 21.62           | 50.472      | 34.421 |  |
| 5478                               | 49.032       | 34.134        | 11.62          | Y                       | Y       | Y      | 23.62           | 50.472      | 37.421 |  |
| 5484                               | 49.032       | 37.134        | 12.64          | Y                       | Y       | Y      | 25.63           | 50.472      | 40.421 |  |




| Code Requirements | Min Width | Min Height | Min Area (sq.ft.) |
|-------------------|-----------|------------|-------------------|
| U.S.              | 20"       | 24"        | 5.7               |
| U.S. Grade Floor  | 20"       | 24"        | 5.0               |
| Canada            | 15"       | 15"        | 3.77              |

# Next Dimension Series

## SINGLE HUNG

### EGRESS, LITE & SCREEN MEASUREMENTS

| Egress, Lite and Vent Measurements |              |               |                |                         |         |        |                 |             |        |  |
|------------------------------------|--------------|---------------|----------------|-------------------------|---------|--------|-----------------|-------------|--------|--|
| Single Hung Cottage                |              |               |                |                         |         |        |                 |             |        |  |
| Size                               | Egress Width | Egress Height | Sq. Ft. Egress | Egress Code Compliance* |         |        | Sq. Ft. Daylite | Screen Size |        |  |
|                                    |              |               |                | U.S.                    |         | Canada |                 | Width       | Height |  |
|                                    |              |               |                | 5.0 ft²                 | 5.7 ft² |        |                 |             |        |  |
| Cottage                            |              |               |                |                         |         |        |                 |             |        |  |
| 1860                               | 13.032       | 19.651        | 1.78           | -                       | -       | -      | 4.34            | 14.472      | 33.655 |  |
| 1863                               | 13.032       | 20.851        | 1.89           | -                       | -       | -      | 4.58            | 14.472      | 35.455 |  |
| 1866                               | 13.032       | 22.051        | 2.00           | -                       | -       | -      | 4.83            | 14.472      | 37.255 |  |
| 1872                               | 13.032       | 24.451        | 2.21           | -                       | -       | -      | 5.32            | 14.472      | 40.855 |  |
| 1878                               | 13.032       | 26.851        | 2.43           | -                       | -       | -      | 5.82            | 14.472      | 44.455 |  |
| 1884                               | 13.032       | 29.251        | 2.65           | -                       | -       | -      | 6.31            | 14.472      | 48.055 |  |
| 2460                               | 19.032       | 19.651        | 2.60           | -                       | -       | -      | 6.54            | 20.472      | 33.655 |  |
| 2463                               | 19.032       | 20.851        | 2.76           | -                       | -       | -      | 6.91            | 20.472      | 35.455 |  |
| 2466                               | 19.032       | 22.051        | 2.91           | -                       | -       | -      | 7.28            | 20.472      | 37.255 |  |
| 2472                               | 19.032       | 24.451        | 3.23           | -                       | -       | -      | 8.02            | 20.472      | 40.855 |  |
| 2478                               | 19.032       | 26.851        | 3.55           | -                       | -       | -      | 8.77            | 20.472      | 44.455 |  |
| 2484                               | 19.032       | 29.251        | 3.87           | -                       | -       | Y      | 9.51            | 20.472      | 48.055 |  |
| 3060                               | 25.032       | 19.651        | 3.42           | -                       | -       | -      | 8.74            | 26.472      | 33.655 |  |
| 3063                               | 25.032       | 20.851        | 3.62           | -                       | -       | -      | 9.24            | 26.472      | 35.455 |  |
| 3066                               | 25.032       | 22.051        | 3.83           | -                       | -       | Y      | 9.73            | 26.472      | 37.255 |  |
| 3072                               | 25.032       | 24.451        | 4.25           | -                       | -       | Y      | 10.73           | 26.472      | 40.855 |  |
| 3078                               | 25.032       | 26.851        | 4.67           | -                       | -       | Y      | 11.72           | 26.472      | 44.455 |  |
| 3084                               | 25.032       | 29.251        | 5.08           | Y                       | -       | Y      | 12.71           | 26.472      | 48.055 |  |
| 3260                               | 27.032       | 19.651        | 3.69           | -                       | -       | -      | 9.47            | 28.472      | 33.655 |  |
| 3263                               | 27.032       | 20.851        | 3.91           | -                       | -       | Y      | 10.01           | 28.472      | 35.455 |  |
| 3266                               | 27.032       | 22.051        | 4.14           | -                       | -       | Y      | 10.55           | 28.472      | 37.255 |  |
| 3272                               | 27.032       | 24.451        | 4.59           | -                       | -       | Y      | 11.63           | 28.472      | 40.855 |  |
| 3278                               | 27.032       | 26.851        | 5.04           | Y                       | -       | Y      | 12.70           | 28.472      | 44.455 |  |
| 3284                               | 27.032       | 29.251        | 5.49           | Y                       | -       | Y      | 13.78           | 28.472      | 48.055 |  |
| 3660                               | 31.032       | 19.651        | 4.23           | -                       | -       | Y      | 10.94           | 32.472      | 33.655 |  |
| 3663                               | 31.032       | 20.851        | 4.49           | -                       | -       | Y      | 11.56           | 32.472      | 35.455 |  |
| 3666                               | 31.032       | 22.051        | 4.75           | -                       | -       | Y      | 12.18           | 32.472      | 37.255 |  |
| 3672                               | 31.032       | 24.451        | 5.27           | Y                       | -       | Y      | 13.43           | 32.472      | 40.855 |  |
| 3678                               | 31.032       | 26.851        | 5.79           | Y                       | Y       | Y      | 14.67           | 32.472      | 44.455 |  |
| 3684                               | 31.032       | 29.251        | 6.30           | Y                       | Y       | Y      | 15.91           | 32.472      | 48.055 |  |
| 4060                               | 35.032       | 19.651        | 4.78           | -                       | -       | Y      | 12.41           | 36.472      | 33.655 |  |
| 4063                               | 35.032       | 20.851        | 5.07           | -                       | -       | Y      | 13.11           | 36.472      | 35.455 |  |
| 4066                               | 35.032       | 22.051        | 5.36           | -                       | -       | Y      | 13.82           | 36.472      | 37.255 |  |
| 4072                               | 35.032       | 24.451        | 5.95           | Y                       | Y       | Y      | 15.23           | 36.472      | 40.855 |  |
| 4078                               | 35.032       | 26.851        | 6.53           | Y                       | Y       | Y      | 16.64           | 36.472      | 44.455 |  |
| 4084                               | 35.032       | 29.251        | 7.12           | Y                       | Y       | Y      | 18.05           | 36.472      | 48.055 |  |
| 4260                               | 37.032       | 19.651        | 5.05           | -                       | -       | Y      | 13.14           | 38.472      | 33.655 |  |
| 4263                               | 37.032       | 20.851        | 5.36           | -                       | -       | Y      | 13.89           | 38.472      | 35.455 |  |
| 4266                               | 37.032       | 22.051        | 5.67           | -                       | -       | Y      | 14.64           | 38.472      | 37.255 |  |
| 4272                               | 37.032       | 24.451        | 6.29           | Y                       | Y       | Y      | 16.13           | 38.472      | 40.855 |  |
| 4278                               | 37.032       | 26.851        | 6.91           | Y                       | Y       | Y      | 17.62           | 38.472      | 44.455 |  |
| 4284                               | 37.032       | 29.251        | 7.52           | Y                       | Y       | Y      | 19.11           | 38.472      | 48.055 |  |
| 4860                               | 43.032       | 19.651        | 5.87           | -                       | -       | Y      | 15.34           | 44.472      | 33.655 |  |
| 4863                               | 43.032       | 20.851        | 6.23           | -                       | -       | Y      | 16.21           | 44.472      | 35.455 |  |
| 4866                               | 43.032       | 22.051        | 6.59           | -                       | -       | Y      | 17.09           | 44.472      | 37.255 |  |
| 4872                               | 43.032       | 24.451        | 7.31           | Y                       | Y       | Y      | 18.83           | 44.472      | 40.855 |  |
| 4878                               | 43.032       | 26.851        | 8.02           | Y                       | Y       | Y      | 20.57           | 44.472      | 44.455 |  |
| 4884                               | 43.032       | 29.251        | 8.74           | Y                       | Y       | Y      | 22.32           | 44.472      | 48.055 |  |
| 5460                               | 49.032       | 19.651        | 6.69           | -                       | -       | Y      | 17.54           | 50.472      | 33.655 |  |
| 5463                               | 49.032       | 20.851        | 7.10           | -                       | -       | Y      | 18.54           | 50.472      | 35.455 |  |
| 5466                               | 49.032       | 22.051        | 7.51           | -                       | -       | Y      | 19.54           | 50.472      | 37.255 |  |
| 5472                               | 49.032       | 24.451        | 8.33           | Y                       | Y       | Y      | 21.53           | 50.472      | 40.855 |  |
| 5478                               | 49.032       | 26.851        | 9.14           | Y                       | Y       | Y      | 23.52           | 50.472      | 44.455 |  |
| 5484                               | 49.032       | 29.251        | 9.96           | Y                       | Y       | Y      | 25.52           | 50.472      | 48.055 |  |



| Egress Conversions - Cottage |                     |
|------------------------------|---------------------|
| Width                        | R.O. - 4.968"       |
| Height                       | R.O. * 0.4 - 4.349" |

#### \* Egress Code Compliance Terminology

- Y Meets Code
- Does Not Meet Code

| Code Requirements | Min Width | Min Height | Min Area (sq.ft.) |
|-------------------|-----------|------------|-------------------|
| U.S.              | 20"       | 24"        | 5.7               |
| U.S. Grade Floor  | 20"       | 24"        | 5.0               |
| Canada            | 15"       | 15"        | 3.77              |


| Egress Conversions - Oriel |                     |
|----------------------------|---------------------|
| Width                      | R.O. - 4.968"       |
| Height                     | R.O. * 0.4 - 4.349" |

# Next Dimension Series

## SINGLE HUNG

### EGRESS, LITE & SCREEN MEASUREMENTS

| Egress, Lite and Vent Measurements |              |               |                |                         |         |        |                 |             |        |  |
|------------------------------------|--------------|---------------|----------------|-------------------------|---------|--------|-----------------|-------------|--------|--|
| Single Hung Oriel                  |              |               |                |                         |         |        |                 |             |        |  |
| Size                               | Egress Width | Egress Height | Sq. Ft. Egress | Egress Code Compliance* |         |        | Sq. Ft. Daylite | Screen Size |        |  |
|                                    |              |               |                | U.S.                    |         | Canada |                 | Width       | Height |  |
|                                    |              |               |                | 5.0 ft²                 | 5.7 ft² |        |                 |             |        |  |
| Oriel                              |              |               |                |                         |         |        |                 |             |        |  |
| 1860                               | 13.032       | 19.651        | 1.78           | -                       | -       | -      | 4.49            | 14.472      | 22.689 |  |
| 1863                               | 13.032       | 20.851        | 1.89           | -                       | -       | -      | 4.74            | 14.472      | 23.889 |  |
| 1866                               | 13.032       | 22.051        | 2.00           | -                       | -       | -      | 5.00            | 14.472      | 25.089 |  |
| 1872                               | 13.032       | 24.451        | 2.21           | -                       | -       | -      | 5.51            | 14.472      | 27.489 |  |
| 1878                               | 13.032       | 26.851        | 2.43           | -                       | -       | -      | 6.02            | 14.472      | 29.889 |  |
| 1884                               | 13.032       | 29.251        | 2.65           | -                       | -       | -      | 6.53            | 14.472      | 32.289 |  |
| 2460                               | 19.032       | 19.651        | 2.60           | -                       | -       | -      | 6.69            | 20.472      | 22.689 |  |
| 2463                               | 19.032       | 20.851        | 2.76           | -                       | -       | -      | 7.07            | 20.472      | 23.889 |  |
| 2466                               | 19.032       | 22.051        | 2.91           | -                       | -       | -      | 7.45            | 20.472      | 25.089 |  |
| 2472                               | 19.032       | 24.451        | 3.23           | -                       | -       | -      | 8.21            | 20.472      | 27.489 |  |
| 2478                               | 19.032       | 26.851        | 3.55           | -                       | -       | -      | 8.97            | 20.472      | 29.889 |  |
| 2484                               | 19.032       | 29.251        | 3.87           | -                       | -       | Y      | 9.73            | 20.472      | 32.289 |  |
| 3060                               | 25.032       | 19.651        | 3.42           | -                       | -       | -      | 8.89            | 26.472      | 22.689 |  |
| 3063                               | 25.032       | 20.851        | 3.62           | -                       | -       | -      | 9.40            | 26.472      | 23.889 |  |
| 3066                               | 25.032       | 22.051        | 3.83           | -                       | -       | Y      | 9.90            | 26.472      | 25.089 |  |
| 3072                               | 25.032       | 24.451        | 4.25           | -                       | -       | Y      | 10.91           | 26.472      | 27.489 |  |
| 3078                               | 25.032       | 26.851        | 4.67           | -                       | -       | Y      | 11.92           | 26.472      | 29.889 |  |
| 3084                               | 25.032       | 29.251        | 5.08           | Y                       | -       | Y      | 12.93           | 26.472      | 32.289 |  |
| 3260                               | 27.032       | 19.651        | 3.69           | -                       | -       | -      | 9.63            | 28.472      | 22.689 |  |
| 3263                               | 27.032       | 20.851        | 3.91           | -                       | -       | Y      | 10.17           | 28.472      | 23.889 |  |
| 3266                               | 27.032       | 22.051        | 4.14           | -                       | -       | Y      | 10.72           | 28.472      | 25.089 |  |
| 3272                               | 27.032       | 24.451        | 4.59           | -                       | -       | Y      | 11.81           | 28.472      | 27.489 |  |
| 3278                               | 27.032       | 26.851        | 5.04           | Y                       | -       | Y      | 12.90           | 28.472      | 29.889 |  |
| 3284                               | 27.032       | 29.251        | 5.49           | Y                       | -       | Y      | 14.00           | 28.472      | 32.289 |  |
| 3660                               | 31.032       | 19.651        | 4.23           | -                       | -       | Y      | 11.09           | 32.472      | 22.689 |  |
| 3663                               | 31.032       | 20.851        | 4.49           | -                       | -       | Y      | 11.72           | 32.472      | 23.889 |  |
| 3666                               | 31.032       | 22.051        | 4.75           | -                       | -       | Y      | 12.35           | 32.472      | 25.089 |  |
| 3672                               | 31.032       | 24.451        | 5.27           | Y                       | -       | Y      | 13.61           | 32.472      | 27.489 |  |
| 3678                               | 31.032       | 26.851        | 5.79           | Y                       | Y       | Y      | 14.87           | 32.472      | 29.889 |  |
| 3684                               | 31.032       | 29.251        | 6.30           | Y                       | Y       | Y      | 16.13           | 32.472      | 32.289 |  |
| 4060                               | 35.032       | 19.651        | 4.78           | -                       | -       | Y      | 12.56           | 36.472      | 22.689 |  |
| 4063                               | 35.032       | 20.851        | 5.07           | -                       | -       | Y      | 13.27           | 36.472      | 23.889 |  |
| 4066                               | 35.032       | 22.051        | 5.36           | -                       | -       | Y      | 13.99           | 36.472      | 25.089 |  |
| 4072                               | 35.032       | 24.451        | 5.95           | Y                       | Y       | Y      | 15.41           | 36.472      | 27.489 |  |
| 4078                               | 35.032       | 26.851        | 6.53           | Y                       | Y       | Y      | 16.84           | 36.472      | 29.889 |  |
| 4084                               | 35.032       | 29.251        | 7.12           | Y                       | Y       | Y      | 18.27           | 36.472      | 32.289 |  |
| 4260                               | 37.032       | 19.651        | 5.05           | -                       | -       | Y      | 13.29           | 38.472      | 22.689 |  |
| 4263                               | 37.032       | 20.851        | 5.36           | -                       | -       | Y      | 14.05           | 38.472      | 23.889 |  |
| 4266                               | 37.032       | 22.051        | 5.67           | -                       | -       | Y      | 14.80           | 38.472      | 25.089 |  |
| 4272                               | 37.032       | 24.451        | 6.29           | Y                       | Y       | Y      | 16.31           | 38.472      | 27.489 |  |
| 4278                               | 37.032       | 26.851        | 6.91           | Y                       | Y       | Y      | 17.82           | 38.472      | 29.889 |  |
| 4284                               | 37.032       | 29.251        | 7.52           | Y                       | Y       | Y      | 19.33           | 38.472      | 32.289 |  |
| 4860                               | 43.032       | 19.651        | 5.87           | -                       | -       | Y      | 15.50           | 44.472      | 22.689 |  |
| 4863                               | 43.032       | 20.851        | 6.23           | -                       | -       | Y      | 16.38           | 44.472      | 23.889 |  |
| 4866                               | 43.032       | 22.051        | 6.59           | -                       | -       | Y      | 17.26           | 44.472      | 25.089 |  |
| 4872                               | 43.032       | 24.451        | 7.31           | Y                       | Y       | Y      | 19.01           | 44.472      | 27.489 |  |
| 4878                               | 43.032       | 26.851        | 8.02           | Y                       | Y       | Y      | 20.77           | 44.472      | 29.889 |  |
| 4884                               | 43.032       | 29.251        | 8.74           | Y                       | Y       | Y      | 22.53           | 44.472      | 32.289 |  |
| 5460                               | 49.032       | 19.651        | 6.69           | -                       | -       | Y      | 17.70           | 50.472      | 22.689 |  |
| 5463                               | 49.032       | 20.851        | 7.10           | -                       | -       | Y      | 18.70           | 50.472      | 23.889 |  |
| 5466                               | 49.032       | 22.051        | 7.51           | -                       | -       | Y      | 19.71           | 50.472      | 25.089 |  |
| 5472                               | 49.032       | 24.451        | 8.33           | Y                       | Y       | Y      | 21.72           | 50.472      | 27.489 |  |
| 5478                               | 49.032       | 26.851        | 9.14           | Y                       | Y       | Y      | 23.73           | 50.472      | 29.889 |  |
| 5484                               | 49.032       | 29.251        | 9.96           | Y                       | Y       | Y      | 25.74           | 50.472      | 32.289 |  |



| Egress Conversions - Oriel |                     |
|----------------------------|---------------------|
| Width                      | R.O. - 4.968"       |
| Height                     | R.O. * 0.4 - 4.349" |

#### \* Egress Code Compliance Terminology

- Y Meets Code
- Does Not Meet Code

| Code Requirements | Min Width | Min Height | Min Area (sq.ft.) |
|-------------------|-----------|------------|-------------------|
| U.S.              | 20"       | 24"        | 5.7               |
| U.S. Grade Floor  | 20"       | 24"        | 5.0               |
| Canada            | 15"       | 15"        | 3.77              |